

Supplementary Data

Monajati M., et al., *BiolImpacts*, 2018, 8(4), 241-252

doi: 10.15171/bi.2018.27

<http://bi.tbzmed.ac.ir/>

Effect of PEGylation on assembly morphology and cellular uptake of poly ethyleneimine-cholesterol conjugates for delivery of sorafenib tosylate in hepatocellular carcinoma

Maryam Monajati^{1,2}, Shirin Tavakoli³, Samira Sadat Abolmaali⁴, Gholamhossein Yousefi⁴, AliMohammad Tamaddon^{3*}

¹ Department of Pharmaceutical Nanotechnology, School of Pharmacy, Shiraz University of Medical Sciences, Shiraz 71345, Iran

² Nanotechnology Research Center, Faculty of Pharmacy, Tehran University of Medical Sciences, Tehran, Iran

³ Center for Nanotechnology in Drug Delivery, Shiraz University of Medical Sciences, Shiraz 71345, Iran

⁴ Department of Pharmaceutical Nanotechnology and Center for Nanotechnology in Drug Delivery, School of Pharmacy, Shiraz University of Medical Sciences, Shiraz 71345, Iran

A

Design-Expert® Software

Factor Coding: Actual

SFB loading

◆ Design Points

15.92


6.87

X1 = C: copolymer concentration

X2 = B: cholesterol/PEI

Actual Factor

A: PEG/cholesterol = 0.00




B

Design-Expert® Software
Factor Coding: Actual
SFB loading
◆ Design Points
15.92
6.87

X1 = C: copolymer concentration
X2 = B: cholesterol/PEI

Actual Factor
A: PEG/cholesterol = 0.13



C

Design-Expert® Software
Factor Coding: Actual
SFB loading amount (%)
◆ Design Points
13.09
11.23

X1 = B: pH
X2 = A: temperature




Figure S1. Sorafenib tosylate loading as a function of lipopolymer concentration and cholesterol to PEI mole ratio; A: non-PEGylated, B: PEGylated at a constant ratio of PEG/cholesterol (0.13: 1); C: the drug loading as a function of pH and temperature.