

Supplementary file 1

Identifying a *CATSPERB* Variants in unexplained male infertility through familial exome sequencing

Seyedeh Zahra Mousavi¹, Pegah Kouhi², Vahid Esmacili³, Zeynab Rokhsattalab², Abdolreza Esmacilzadeh⁴, Navid Almadani², Bahram Mohammad Soltani^{1*}, Mehdi Totonchi^{2*}

¹Department of Molecular Genetics, Faculty of Biological Sciences, Tarbiat Modares University, Tehran, Iran

²Department of Genetics, Reproductive Biomedicine Research Center, Royan Institute for Reproductive Biomedicine, ACECR, Tehran, Iran

³Department of Embryology, Reproductive Biomedicine Research Center, Royan Institute for Reproductive Biomedicine, ACECR, Tehran, Iran

⁴Department of Immunology, Zanjan University of Medical Sciences, Zanjan, Iran

*Corresponding authors: Bahram Mohammad Soltani, Email: soltanib@modares.ac.ir; Mehdi Totonchi, Email: totonchimehdi@gmail.com




Figure S1. The Ramachandran plot of the CATSPERB 3D model. Red indicates the most favoured regions, dark yellow indicates the additional allowed regions, light-yellow shows the generously allowed regions, and disallowed regions are shown in white.

